



MOBILE & PORTABLE DENTAL EQUIPMENT



The AMC-25 comes standard with pneumatic handpiece connections, but can be configured for electric handpieces, or a combination of air-driven and electric.

AMC-25 Mobile Dental Cart

The **AMC-25 Mobile Cart** is a superior solution for providing general dental care in nursing homes, hospitals, or anywhere a mobile dental unit is needed. Available optional accessories allow for customizing this dental cart to meet your needs, including the ability to add electric handpieces, handpiece illumination, and much more!



Watch CareSouth Carolina's Testimonial on the AMC-25



- No plumbing required!
- 2 automatic high speed air handpiece connections (4-hole; non-fiber optic)
- 1 automatic low speed handpiece connection (4-hole; non-fiber optic)
- High and low volume suction with automatic overflow protection and solids trap
- 3-way air/water syringe
- Quick connect for ultrasonic scaler
- 2 hospital-grade outlets for accessories
- Wet/dry foot control
- Dual voltage 110V or 220V
- Operating pressure 80 psi
- High volume vacuum 7.6 SCFM @ 1.3 in Hg, 5.6 SCFM @ 4 in Hg
- Low volume vacuum 2.2 SCFM @ 1.5 in H
- Noise Level 65 dBA or less @ 3'4" (1 meter)
- Weight 167 lb (75.8 kg)
- Dimensions 23.5" W x 30" L x 36.5" H (56.7 x 76.2 x 92.7 cm)
- Optional: integrated electric motor, fiber-optic illumination for handpieces, ultrasonic scaler, curing light, amalgam separator, external vacuum/air/water hospital connections, auxiliary arm with accessory tray

AMC-25 Mobile Dental Cart


AMC-25

Options

Integrated Electric Motor	330674
Valo Curing Light	ALU-25CLK-VALO
2 Fiber Optic HP Connections	
5-hole (ISO-B)	AA-19LED-25CK5
6-pin (ISO-C)	AA-19A-25CK
Piezo Scaler	ASC-10-25CKL
Amalgam Separator	AA-20AMAL-CK
Auxiliary Arm with Accessory Tray	AA-20A
Hospital Kit	AA-25HK
(external air, water and vac connections)	

Replacement Parts

Micromotor	AE-240SC-40
Wet/Dry Foot Control	AA-43W
Air/Water Syringe	TA-90D
1L Water Reservoir - Clear	730631-01
1L Water Bottle - Opaque (each)	730471
Strainer	730745
Amalgam Canister	730595



Suite 17, 265-271 Pennant Hills Road,
 Thornleigh NSW 2120 AUSTRALIA
 +61 2 9875 5588
 sales@wisbeydental.com
 www.wisbeydental.com

2 YEAR WARRANTY

on Aseptico® Portable Equipment Made in the USA*

*warranty.policy.on.page



DENTISTRY ANYWHERE



GO Ultra Portable Dental Delivery System

Our Most Advanced Technology

AEU-350

- Simple to operate for restorative & hygiene
- Integrated brushless motor with LED illumination
- Powerful vacuum and air flow
- Exceptionally quiet operation
- Ultra-compact and lightweight
- Meets carry-on luggage requirements
- Air filter reduces airborne particulates
- Use anywhere in the world with electric or battery power
- Customer-replaceable bacterial-viral filter
- **NEW** Health Canada Approved

Designed for Ease-of-Use and Reliability

The GO leverages Aseptico's expertise in crafting leading portable dental units for today's challenges and opportunities. Designed for operator ease-of-use and outstanding reliability, the GO is capable of restorative dentistry and hygiene functions.

At only 32 pounds, the GO system is fully ten pounds lighter than the Aseptico® Express system — and so compact it qualifies as carry-on luggage for air travel. The GO delivers powerful airflow and suction yet operates more quietly and cleanly than standard air compressor units (it even has an air filter to reduce airborne particulates).

It can operate anywhere in the world — and if there is no electrical power, there is an option for it to operate on a 24-volt battery.

GO Ultra Portable Dental Delivery System **AEU-350**

Options	
24 VDC Battery	AA-350-BATCAB2
Power Cord	
Replacement Parts	
Micromotor w/5'cable	AE-242SC-40
Water Supply Bottle	AA-350BOT
Waste Collection Tank	330811
Air Filter	AA-350-FIL
HVE Valve and Hose Assembly	AA-350-HVE
Saliva Ejector Valve and Hose Assembly	AA-350-SAL
Foot Switch	AE-7PM
Power Cord	840041
Power Cord Pouch	410222
Hose Storage Pouch	410225

Powerful Electric Motor

5k to 200k rpm range is ideal for prophylaxis and restorative.

Faster Drying for Sealants

- Syringe Performance:
- 80 psi initial
 - Up to 50 psi continuous

More Powerful Suction!

New vacuum blower technology

Quieter Operation

A quieter vacuum system that turns on only when HVE and saliva ejector are removed from their holders creates a quieter experience for both operator and patient.

1 Liter Waste Capacity

Easy, clean removal of waste

500 mL Water Capacity

Plenty of water capacity for restorative cases

Impact Resistant

Durable, wheeled case with comfortable handles

Weighted & Omnidirectional Foot Pedal

Stays in place and can be activated from any angle



Super Compact!

22" x 13" x 9.2" fits into the airline overhead as carry on luggage



Easy and Light

Only **32 pounds!** 13 pounds lighter than the Aseptico® Express, the world's #1 system!

Plug in Anywhere

100-240 VAC & 24VDC input options

Can Operate on External Battery Power

Powering the GO Ultra Portable Dental System from a 24 VDC battery is an option for those who work off-the-grid. The cable is purchased from Aseptico, and the customer supplies the 24V battery. The GO can operate for as long as the battery type and capacity will allow.



Sonya Dunbar and The GO

Geriatric Toothfairy | Mobile Dental Xpress



Watch Sonya Dunbar's Testimonial on the GO



Suite 17, 265-271 Pennant Hills Road,
Thornleigh NSW 2120 AUSTRALIA
+61 2 9875 5588
sales@wisbeydental.com
www.wisbeydental.com

Express Portable Dental System

ADU-17A and ADU-17A2

ADU-17X and ADU-17X2

- Better and Faster Sealants
- Available with one or two air handpiece connections
- High volume evacuator and saliva ejector
- Built-in maintenance free compressor
- Water port for Cavitron/scaler
- High capacity 1 gallon waste container
- 110V or 230V switchable voltage
- 44-48 lbs (20-21.8 kg)
- 10.5" x 14.5" x 24" (27 x 36 x 61 cm)

Aseptico's most popular portable dental systems, the Express Air and Express II portable dental systems are fully self-contained, lightweight, reliable performers that provide everything a dentist or hygienist needs to perform effectively in the field. These powerful units feature up to two air-driven handpiece connections, high volume and saliva ejector suction, internal water reservoir, 3-way syringe, and integrated air compressor. They are transported using a pullout handle and built-in wheel assembly. The system's compact size allows for convenient storage, while the impact-resistant case makes the Express ideal for any field environment. Designed for global use, all Express systems are compatible with 110V or 220V power sources and come in under the airline baggage weight limit.

Express Air – features variable rheostat foot pedal. The handpiece only operates when the variable rheostat foot pedal is depressed; handpiece operates independently from suction and 3-way syringe. **(Dentist preferred)**

Express Air one handpiece connection [ADU-17A](#)

Express Air two handpiece connections [ADU-17A2](#)

Express II – features on/off electric foot switch. All components are activated by the on/off foot switch. This configuration is sometimes desirable for special needs patients or other specialized applications. Please call for more information. **(Hygienist preferred)**

Express II one handpiece connection [ADU-17X](#)

Express II two handpiece connections [ADU-17X2](#)

Fiber Optic Upgrade Kits

5-hole [AA-19LED-04](#)

6-pin [AA-19A-06](#)

6-pin LED handpieces [AA-19EGEN-04T6*](#)

*Will not function with incandescent bulbs.

Consult your Aseptico sales rep for details.



*Handpieces sold separately
Recommended handpieces
see pages 16-18.*

"We love the ease of this piece of Aseptico equipment! It's essential for our business to run efficiently being able to utilize everything we would have in a private office setting while providing care in long-term care facilities. No sacrifice in power or suction either!"



Liz LaJoie, RDH
Director of Clinical Field Teams
Aria Care Partners

Transport III Portable Dental System

AEU-525S and AEU-525

- High torque electric motor with restorative and endodontic programs
- Fiber optic electric handpiece connection
- High volume evacuator and saliva ejector
- Quiet, intuitive, powerful
- Built-in maintenance free compressor
- Water port for Cavitron/scaler
- 115V or 230V Dual voltage
- Optional fiber optic piezo scaler
- 57-63 lbs (25.8-28.6 kg)
- 17.9" x 10.4" x 22.1" (45.5 x 26.4 x 56.1 cm)

The Transport III is Aseptico's most capable portable dental system. Features include noise reduction technology, an intuitive user interface, and 40k rpm brushless auto-clavable micromotor. It is easy to set up, operate, and tear down. All components fit neatly into the impact resistant carrying case with inset handle and wheels.

Delivery module and user interface panel mount externally, placing controls and instruments at a comfortable level.

Dual level fluid sensors alert the user when the waste tank is 85% full for better procedure planning. The Transport III will then shut off the compressor before the tank exceeds capacity. The externally mounted waste container and optional amalgam separator means faster and cleaner waste disposal.

Transport III w/Scaler [AEU-525S](#)

Transport III [AEU-525](#)

Options

Amalgam Separator Kit [AA-525AMAL](#)

Micromotor w/ 6' cable [AE-240SC-40](#)

Foot Switch with 10ft cable [AE-7PM-10](#)

Replacement Parts

Micromotor w/5' cable [AE-240SC-40](#)

Waste Tank Assembly [330603](#)

Foot Switch [AE-7PM](#)

Power Cord 110V [840049](#)

Power Cord 220V [840007](#)

Water Reservoir (white) [730471](#)

Replacement Scaler Tips For AEU-525S Only

Slim Universal [ASC-10-PE38](#)

Thin Subgingival [ASC-10-PE37](#)

Power Universal [ASC-10-PE39](#)



*Handpieces sold separately
Recommended handpieces see pages 16-18.*

Delivery module and user-interface panel mount externally, placing controls and instruments at a comfortable level.

AEU-525 has water connection for external scalers. AEU-525S includes built in piezo ultrasonic scaler with LED and three tips.



Taskforce Portable Dental System

ADU-12DCE

- New look and case design
- Lightweight and easy to carry, under 33lbs!
- Two air handpiece connections
- Powerful saliva ejector vacuum
- Built-in maintenance free compressor
- Water port for Cavitron/scaler
- 110V or 220V switchable voltage
- 12.5" x 17.5" x 7.5" (31.8 x 44.5 x 19.1 cm)

The most compact pneumatic portable dental system, the Taskforce, represents the best value on the market. At 32.6 pounds the Taskforce is easily carried from location to location. This unit includes two air-driven handpiece connections (high speed /low speed), low volume suction, and air water syringe, making it the ideal system for mobile hygiene. Simple and easy to use, the Taskforce can be set up or put away in just minutes.



Handpieces sold separately

Taskforce [ADU-12DCE](#)

Optional Accessories

- Handpiece Extension Arm [AA-12A](#)
- Stainless Steel Cupidor with Solids Trap 5" (12.7mm) diameter for convenient expression during treatment [AA-26SS](#)
- High Volume Tip Adapter enables use of standard 11mm high volume tips [AA-12HVE](#)

Fiber Optic Upgrade Kits

- 5-hole [AA-19LED-04](#)
- 6-pin [AA-19A-06](#)
- Fiber Optic for 6-pin LED handpieces [AA-19EGEN-04T6*](#)

*Will not function with incandescent bulbs. Consult your Aseptico sales rep for details.

Replacement Parts

- Lid Standoff Bracket [AA-12CSB2](#)



Suite 17, 265-271 Pennant Hills Road,
Thornleigh NSW 2120 AUSTRALIA
+61 2 9875 5588
sales@wisbeydental.com
www.wisbeydental.com

"I have used the Aseptico Taskforce Deluxe in 25 developing countries on dental missions. The unit is lightweight, and has always functioned well with minimal power requirements. I have recommended its use to many needing a lightweight, reliable dental operating unit."



COL (Ret) Robert Meyer, DMD
Executive Director
Christian Dental Society



4-Hole to E-Type Air Motor AHP-50

Low Speed Air Motor (4-hole) adapts air turbine to accept E-type handpieces.

Call for more information.



4-Hole Restorative AHP-96MK

Air-driven
Internal irrigation
Non-optic
Max 320k rpm
Max volume 62 dB

Recommended for high speed dentistry
See page 16.

Lightweight Portable Delivery Systems

ADU-04ST and ADU-03ST

- Compact design and case under 15lbs (6.8kg)
- Customizable handpiece and vacuum options
- 3-way air/water syringe
- 25 ft. air line to connect to any air source
- Instrument tray
- Padded carrying case
- Carrying case: 25" x 11.5" x 11.5" (63.5 x 29 x 29cm)
- Requires air compressor for operation
- Quick disconnect options, .25 QD-Standard or 3/8 Schrader (optional)

Restorative System w/ 2 HPC Connections [ADU-04ST](#)

Restorative System w/o HPC Connections [ADU-03ST](#)

Optional Upgrades

- High Volume Suction [AA-21ST](#)
- Saliva Ejector [AA-25ST](#)
- 5-hole Fiber Optics [AA-19LED-04](#)
- 6-pin Fiber Optics [AA-19A-06](#)
- Fiber Optics for 6-pin LED handpieces [AA-19EGEN-04T6*](#)

*Will not function with incandescent bulbs. Consult your Aseptico sales rep for details.

The ADU-04ST is designed for dentistry and can run either a high-speed or low speed handpiece (shown with high volume suction and saliva ejector suction options added).



The ADU-03ST is designed for hygiene and sealants (shown with optional high volume suction added).

Airpac III Portable Compressor

AA-100-110

- 1.0 horsepower, 100 psi oil-less motor
- Air delivery 3.1 CFM at 40 PSI
- Built-in wheels and pull handle
- Available in 110V
- Not available in Canada
- Weight: 46 lbs. (20.87 kg)
- Size: 17.93" W x 22.06" L x 10.43" H (45.5 cm W x 56.0 cm L x 26.5 cm H)

The Airpac III Portable Compressor is built by Aseptico to stand-up to heavy use and travel, the compressor is secured in its own super duty carrying case with built-in wheels and pull handle. The Airpac III includes an air storage tank and automatic pressure switch control.

110V Compressor [AA-100-110](#)





AMC-15 Mobile Dental Cart

Designed for Easy and Affordable Mobility, the AMC-15 Mobile Dental Cart is equipped for general dentistry with two automatic high speed air connections, one low speed handpiece connection, internal vacuum and air, water supply, large waste tank with automatic overflow protection, and amalgam separator.

- No plumbing required!
- 2 automatic high speed air handpiece connections (4-hole; non-fiber optic)
- 1 automatic low speed handpiece connection (4-hole; non-fiber optic)
- High & low volume suction with automatic overflow protection and solids trap
- 3-way air/water syringe
- Quick connect for ultrasonic scaler
- Amalgam Separator
- Wet/dry foot control
- Available in 110V or 220V
- Operating pressure 80 psi
- High volume vacuum 6.0 SCFM @ 0 in Hg, 3.6 SCFM @ 4 in Hg
- Low volume vacuum 1.3 SCFM @ 1.5 in Hg
- Noise Level 63 dBA @ 3'4" (1 meter)
- Weight 139 lb (63 kg)
- Dimensions 23.5"W x 30" L x 36.5" H (56.7 x 76.2 x 92.7 cm)
- Optional: auxiliary arm with accessory tray

AMC-15 Mobile Dental Cart AMC-15

Options

Auxiliary Arm with Accessory Tray	AA-20A
Extended Fiber Optic Tubing 5-hole (6 ft)	AA-19LED-04

Recommended Handpieces

Air-Driven *see pages 16-17*

Replacement Parts

3-Way Air/Water Syringe with Tip	TA-90D
Amalgam Separator Filter	730595
Clear 1-liter Water Bottles w/Level Indicators	730631-01
Two 1-liter Water Bottles	730471
Wet/Dry Foot Control	AA-43W
Power Cord 115V	840049
Power Cord 230V	840007



Equipped for general dentistry, the AMC-15 has been recognized for its innovative technology, however, we are most proud of its affordable price — which includes an amalgam separator!



Suite 17, 265-271 Pennant Hills Road,
 Thornleigh NSW 2120 AUSTRALIA
 +61 2 9875 5588
 sales@wisbeydental.com
 www.wisbeydental.com



Portable LED Exam Light

ALU-40LED

- Adjustable LED with seven beam diameters
- Durable construction
- Includes padded carrying case
- Optional Amber UV filter for working with composites
- 12 lbs (5.4 kg)
- Padded carrying case: 45" x 9" x 5.5" (114.5 x 23 x 14 cm)

The Portable LED Exam Light provides high-intensity LED light with seven beam diameter settings. It features a compact lamp head with adjustable intensity, flexible gooseneck, telescoping tripod stand and padded carrying case. When a standard electric outlet is not available, an optional auxiliary DC input can be purchased that allows 12V and 24V battery operation in the field.

Portable LED Exam Light	ALU-40LED
Optional Amber UV Filter	461974
Replacement Padded Carrying Case	410084
DC Cable with Battery Clips	AA-40DC-BC
DC Cable with Car Lighter Adapter	AA-40DC-LP


Portable Tray Stand

ATC-03CF

The Portable Tray Stand is a sturdy and necessary addition to any mobile operator. Standard size stainless instrument tray removes easily for autoclaving.

It weighs less than 9 pounds and folds into included case when work is done. Made in USA.

Portable Tray Stand	ATC-03CF
----------------------------	----------



NEW FABRIC MATERIALS
Better, Stronger, and More Durable



Chairs and Stools Available in Red, Gray and Blue



All seating includes a padded carrying case



AseptiStool

ADC-08

- Set-up and store in seconds
- Includes padded case – no loose parts to misplace!
- 300 lb weight capacity
- Adjustable seat height: 19" - 22" (48.3-55.9 cm)
- 15 lbs (6.75 kg)
- Padded carrying case: 18" x 22" x 8" (48 x 53 x 23 cm)

Durable, adjustable and foldable, the AseptiStool Portable Dental Stool is the perfect seating solution for any clinician. Its one-piece design sets up or stores in seconds, and it swivels on four casters for easy mobility during treatment. It is height adjustable, lightweight, and folds up for simple storage in the included padded travel case.

AseptiStool	ADC-08
Replacement Padded Carrying Case	410093



Hydraulic AseptiStool

ADC-10

- Easy set-up and storage
- Includes padded case
- 300 lb weight capacity
- Hydraulic adjustable height: 18" - 25.5" (45.7 - 64.8 cm)
- 19 lbs (8.6 kg)
- Padded carrying case: 26" x 26" x 11" (56 x 56 x 28 cm)

With hydraulic adjustable height, the Hydraulic AseptiStool gives the mobile dentist the comfort and flexibility of doing dentistry in the office. It is easy to set up, tear down and transport in its included padded case. Even with its sturdy construction and high weight capacity, the stool is lightweight and carrying it into any mobile dental scenario is simple.

Hydraulic AseptiStool	ADC-10
Replacement Padded Carrying Case	410213



AseptiChair

ADC-01

- Sturdy, high-strength steel construction
- Lightweight, only 30 lbs (13.5 kg) in case!
- 300 lb weight capacity
- Backrest adjusts from fully upright to supine
- Price includes padded case, arm slings, and headrest cushion
- Adjustable seat height: 11" - 22" (11 - 55.9 cm)
- Padded carrying case: 23" x 34" x 8" (58 x 86 x 20.3 cm)


The AseptiChair's sturdy rolled steel construction is lightweight yet strong, making it perfect for portable dentistry. It is adjustable to five positions, with seat height ranging from 11 to 22 inches. The toe board folds down, allowing this portable dental chair to be used for examination. The included carrying case makes mobility and transportation simple. No assembly required.

AseptiChair	ADC-01
Replacement Parts	
Replacement Padded Carrying Case	410193
Replacement Leg Adjustment Pin	460445-08
Endcap Heavy Duty 1"	850026
Armrest Support Pin	460444-08

"Having quality products like Aseptico patient/operator chairs gives our providers, patients, and facilities confidence in the care that a mobile alternative practice can provide. The support staff at Aseptico is always willing to help when needed. 100% satisfaction guaranteed."



Sara Luetke, RDH
Founder
Sound Dental Care



Hydraulic AseptiChair

ADC-02

- Hands-free height and back adjustment
- Adjustable with patient in chair
- 300 lb weight capacity
- No external electricity or air required
- Handle and wheels for easy mobility
- 69 lbs (31.3 kg)
- Hydraulic adjustable seat height: 11" - 33" (27.9 - 83.8 cm)
- Folded dimensions: 33" x 22" x 18" (83.8 x 55.9 x 45.7 cm)

The Hydraulic AseptiChair provides hands-free operation and is the only portable chair available with adjustability functions comparable to a standard dental chair. All chair lift functions are foot actuated hydraulic for hands-free operation; no external power is required. The AseptiChair provides comfortable patient seating for patients up to 300 lbs. Easy move wheels.

Hydraulic AseptiChair	ADC-02
Hydraulic Assembly Only	330629

Replacement Parts	
Replacement Dust Cover	410210



Heavy Duty Brushless Lab Motor Torque Pro Delivers Power

AEU-16SS-120

- For heavy acrylic use
- Brushless 50k rpm micromotor
- Consistent torque even at low speeds
- Includes Variable Speed Foot Control



The Heavy Duty Brushless Lab Motor

delivers power, performance, durability, and portability. The brushless 50k rpm micromotor can produce up to 8.3 Ncm of torque and features easy to read digital display, preset memory storage, and hand/foot change button.

Heavy Duty Dental Lab Motor **AEU-16SS-120**

Replacement Parts:

Motor/Cable Assy	AE-H180
Variable Speed Footswitch	AE-SP

Light Duty Lab Motor Powerful & Lightweight

AEU-10SS

- For light to medium acrylic use and low speed prophylaxis
- Versatile E-type straight 1:1 handpiece included
- 20k rpm micromotor
- Available in 110V or 220V
- Includes AE-7P On/Off Foot Switch



Includes AHP-101 Handpiece

The Light Duty Lab Motor is one of the finest motor and handpiece combinations available to the professional. It is ideal for chairside adjustments, prophylaxis, or any light to medium use.

Light Duty Dental Lab Motor **AEU-10SS**

Light Duty Dental Lab Motor **AEU-10SS-220**

Options

Optional Variable Speed Foot Control	AE-14A
--------------------------------------	---------------

Replacement Parts:

1:1 Handpiece	AHP-101
Micromotor	AM-103B
On/Off Foot Switch	AE-7P

Battery Powered Portable Lab Motor Ideal for Mobile Hygiene

AEU-03M1B

- For light duty use and low speed prophylaxis
- Straight 1:1 e-type handpiece included
- Dual voltage 110V-240V



The Battery Powered Portable Lab Motor is a smart solution for lightweight lab benchwork and performing prophylaxis in the field! This small portable unit delivers 22k rpm and can perform 8 hours on a single battery charge.

Portable Lab Motor with Handpiece **AEU-03M1B**

Portable Lab Motor **AEU-03M1B-NHP**

Replacement Parts

1:1 Handpiece	AHP-101
Micromotor	AE-5M1-25
Foot Switch	AE-7M1

Portable Sterilizer

ASU-12-110 and ASU-12-230

- Compact and portable
- 18-minute sterilization cycle (24-minute total cycle time)
- Only 6 minutes to reach sterilization temp
- Temperature: 250°F (121°C)
- 11.5 lbs (5.2 kg)
- 9 liter capacity

The Portable Dental Autoclave is designed to sterilize solid, unwrapped instruments in a 121°C saturated steam process during 18-minute sterilization cycle. Use distilled or deionized water only.

110V Sterilizer **ASU-12-110**

230V Sterilizer **ASU-12-230**



Portable Saliva Ejector

AA-20

- Great for mobile dentistry or as a backup for sedation dentistry
- Powered by rechargeable battery pack, wall outlet or 12 VDC vehicle source
- Up to 60 minutes of continuous use on a single charge
- 800cc waste canister with float shut-off
- 6.3 lbs (2.9 kg)
- 9" x 7" x 8" (22.8 x 17.8 x 20 cm)

Great for mobile dentistry or as a backup for sedation dentistry, the Portable Saliva Ejector can be powered by a wall outlet, 12V source, or rechargeable battery pack. It features an adjustable 80 - 550 mm Hg vacuum range and 800cc waste canister with float shut-off. Includes padded carrying case.

Portable Saliva Ejector **AA-20**

Replacement 800 ml Canister **AA-20CAN**

Bacteria Filters **AA-20BF-2**

Vacuum Pump Tube Assembly **330668**



In addition to providing easy portable suction, the Portable Saliva Ejector fulfills the legal requirement for a back-up suction system in the event of power or suction failure.

WISBEY DENTAL
KNOWLEDGE | PASSION | SERVICE

Suite 17, 265-271 Pennant Hills Road,
Thornleigh NSW 2120 AUSTRALIA
+61 2 9875 5588
sales@wisbeydental.com
www.wisbeydental.com

